Groundline Aim

PRODUCT DESCRIPTION

GROUNDLINE AIM fixture features various colour temperatures and beam patterns for lighting of walls and structures. The module is available in standard length of 1030mm.

Categories: Groundline, Linear

Line drawing



VARIATIONS

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA110822001	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130822001	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	30	230
	GA140822001	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	40	230
	GA160822001	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	60	230
	GA115822001	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	12x50	230
	GA110822101	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130822101	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	30	24
	GA140822101	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	40	24
	GA160822101	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	60	24
	GA115822101	100 in stock	100	Groundline Aim 1030mm with 20w 2200K 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	12x50	24
	GA110827001	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130827001	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	30	230
	GA140827001	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	40	230
	GA160827001	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	60	230
	GA115827001	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	12x50	230
	GA110827101	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130827101	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	30	24
	GA140827101	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	40	24
	GA160827101	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	60	24
	GA115827101	100 in stock	100	Groundline Aim 1030mm with 20w 2700k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	12x50	24
	GA110830001	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130830001	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	30	230
	GA140830001	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	40	230
	GA160830001	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	60	230
	GA115830001	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	12x50	230
	GA110830101	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130830101	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	30	24
	GA140830101	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	40	24
	GA160830101	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	60	24
	GA115830101	100 in stock	100	Groundline Aim 1030mm with 20w 3000k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	12x50	24
	GA110840001	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130840001	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	30	230
	GA140840001	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	40	230
	GA160840001	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	60	230
	GA115840001	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	12x50	230
	GA110840101	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130840101	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	30	24
	GA140840101	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	40	24
	GA160840101	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	60	24
	GA115840101	100 in stock	100	Groundline Aim 1030mm with 20w 4000k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	12x50	24
	GA110860001	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130860001	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	30	230
	GA140860001	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	40	230
	GA160860001	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	60	230
	GA115860001	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	12x50	230
	GA110860101	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130860101	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	30	24
	GA140860101	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	40	24
	GA160860101	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	60	24
	GA115860101	100 in stock	100	Groundline Aim 1030mm with 20w 6000k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	12x50	24
	GA110004001	100 in stock	100	Groundline Aim 1030mm with 20w Amber 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130004001	100 in stock	100	Groundline Aim 1030mm with 20w Amber 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	30	230
	GA140004001	100 in stock	100	Groundline Aim 1030mm with 20w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	40	230
	GA160004001	100 in stock	100	Groundline Aim 1030mm with 20w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	60	230
	GA115004001	100 in stock	100	Groundline Aim 1030mm with 20w Amber 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	12x50	230
	GA110004101	100 in stock	100	Groundline Aim 1030mm with 20w Amber 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130004101	100 in stock	100	Groundline Aim 1030mm with 20w Amber 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	30	24
	GA140004101	100 in stock	100	Groundline Aim 1030mm with 20w Amber 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	40	24
	GA160004101	100 in stock	100	Groundline Aim 1030mm with 20w Amber 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	60	24
	GA115004101	100 in stock	100	Groundline Aim 1030mm with 20w Amber 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	12x50	24
	GA110003001	100 in stock	100	Groundline Aim 1030mm with 20w Blue 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130003001	100 in stock	100	Groundline Aim 1030mm with 20w Blue 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	30	230
	GA140003001	100 in stock	100	Groundline Aim 1030mm with 20w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	40	230
	GA160003001	100 in stock	100	Groundline Aim 1030mm with 20w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	60	230
	GA115003001	100 in stock	100	Groundline Aim 1030mm with 20w Blue 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	12x50	230
	GA110003101	100 in stock	100	Groundline Aim 1030mm with 20w Blue 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130003101	100 in stock	100	Groundline Aim 1030mm with 20w Blue 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	30	24
	GA140003101	100 in stock	100	Groundline Aim 1030mm with 20w Blue 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	40	24
	GA160003101	100 in stock	100	Groundline Aim 1030mm with 20w Blue 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	60	24
	GA115003101	100 in stock	100	Groundline Aim 1030mm with 20w Blue 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	12x50	24
	GA110002001	100 in stock	100	Groundline Aim 1030mm with 20w Green 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130002001	100 in stock	100	Groundline Aim 1030mm with 20w Green 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	30	230
	GA140002001	100 in stock	100	Groundline Aim 1030mm with 20w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	40	230
	GA160002001	100 in stock	100	Groundline Aim 1030mm with 20w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	60	230
	GA115002001	100 in stock	100	Groundline Aim 1030mm with 20w Green 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	12x50	230
	GA110002101	100 in stock	100	Groundline Aim 1030mm with 20w Green 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130002101	100 in stock	100	Groundline Aim 1030mm with 20w Green 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	30	24
	GA140002101	100 in stock	100	Groundline Aim 1030mm with 20w Green 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	40	24
	GA160002101	100 in stock	100	Groundline Aim 1030mm with 20w Green 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	60	24
	GA115002101	100 in stock	100	Groundline Aim 1030mm with 20w Green 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	12x50	24
	GA110001001	100 in stock	100	Groundline Aim 1030mm with 20w Red 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130001001	100 in stock	100	Groundline Aim 1030mm with 20w Red 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	30	230
	GA140001001	100 in stock	100	Groundline Aim 1030mm with 20w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	40	230
	GA160001001	100 in stock	100	Groundline Aim 1030mm with 20w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	60	230
	GA115001001	100 in stock	100	Groundline Aim 1030mm with 20w Red 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	12x50	230
	GA110001101	100 in stock	100	Groundline Aim 1030mm with 20w Red 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA130001101	100 in stock	100	Groundline Aim 1030mm with 20w Red 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	30	24
	GA140001101	100 in stock	100	Groundline Aim 1030mm with 20w Red 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	40	24
	GA160001101	100 in stock	100	Groundline Aim 1030mm with 20w Red 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	60	24
	GA115001101	100 in stock	100	Groundline Aim 1030mm with 20w Red 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	12x50	24
	GA610005001	100 in stock	100	Groundline Aim 1030mm with 30w RGB 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA630005001	100 in stock	100	Groundline Aim 1030mm with 30w RGB 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	30	230
	GA640005001	100 in stock	100	Groundline Aim 1030mm with 30w RGB 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	40	230
	GA660005001	100 in stock	100	Groundline Aim 1030mm with 30w RGB 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	60	230
	GA615005001	100 in stock	100	Groundline Aim 1030mm with 30w RGB 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	12x50	230
	GA610005101	100 in stock	100	Groundline Aim 1030mm with 30w RGB 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA630005101	100 in stock	100	Groundline Aim 1030mm with 30w RGB 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	30	24
	GA640005101	100 in stock	100	Groundline Aim 1030mm with 30w RGB 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	40	24
	GA660005101	100 in stock	100	Groundline Aim 1030mm with 30w RGB 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	60	24
	GA615005101	100 in stock	100	Groundline Aim 1030mm with 30w RGB 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	12x50	24
	GA410807001	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB30K	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA430807001	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB30K	30	230
	GA440807001	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB30K	40	230
	GA460807001	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB30K	60	230
	GA415807001	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB30K	12x50	230
	GA410807101	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB30K	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA430807101	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB30K	30	24
	GA440807101	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB30K	40	24
	GA460807101	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB30K	60	24
	GA415807101	100 in stock	100	Groundline Aim 1030mm with 40w RGB30k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB30K	12x50	24
	GA410808001	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 10° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB40K	10	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA430808001	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 30° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB40K	30	230
	GA440808001	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB40K	40	230
	GA460808001	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB40K	60	230
	GA415808001	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 12x50° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB40K	12x50	230
	GA410808101	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 10° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB40K	10	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Voltage
	GA430808101	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 30° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB40K	30	24
	GA440808101	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB40K	40	24
	GA460808101	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB40K	60	24
	GA415808101	100 in stock	100	Groundline Aim 1030mm with 40w RGB40k 12x50° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB40K	12x50	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com