Groundline Slim

PRODUCT DESCRIPTION

GROUNDLINE SLIM is constructed using high brightness LEDs, aluminium extrusion, stainless steel trim and tempered glass suitable for inground applications. GROUNDLINE SLIM features various colour temperatures and beam patterns suitable for the lighting of walls and structures. The module is available in standard lengths of 547mm and 1050mm.

Categories: Groundline, Linear

Line drawing

VARIATIONS

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS115001111	100 in stock	100	Groundline Slim 547mm with 15w Red 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125001111	100 in stock	100	Groundline Slim 547mm with 15w Red 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	25	547	24
	GS140001111	100 in stock	100	Groundline Slim 547mm with 15w Red 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	40	547	24
	GS160001111	100 in stock	100	Groundline Slim 547mm with 15w Red 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	60	547	24
	GS116001111	100 in stock	100	Groundline Slim 547mm with 15w Red 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	12x55	547	24
	GS615005111	100 in stock	100	Groundline Slim 547mm with 15w RGB 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS625005111	100 in stock	100	Groundline Slim 547mm with 15w RGB 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	25	547	24
	GS640005111	100 in stock	100	Groundline Slim 547mm with 15w RGB 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	40	547	24
	GS660005111	100 in stock	100	Groundline Slim 547mm with 15w RGB 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	60	547	24
	GS616005111	100 in stock	100	Groundline Slim 547mm with 15w RGB 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	12x55	547	24
	GS115822111	100 in stock	100	Groundline Slim 547mm with 15w 2200K 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125822111	100 in stock	100	Groundline Slim 547mm with 15w 2200K 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	25	547	24
	GS140822111	100 in stock	100	Groundline Slim 547mm with 15w 2200K 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	40	547	24
	GS160822111	100 in stock	100	Groundline Slim 547mm with 15w 2200K 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	60	547	24
	GS116822111	100 in stock	100	Groundline Slim 547mm with 15w 2200K 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	12x55	547	24
	GS115827111	100 in stock	100	Groundline Slim 547mm with 15w 2700k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125827111	100 in stock	100	Groundline Slim 547mm with 15w 2700k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	25	547	24
	GS140827111	100 in stock	100	Groundline Slim 547mm with 15w 2700k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	40	547	24
	GS160827111	100 in stock	100	Groundline Slim 547mm with 15w 2700k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	60	547	24
	GS116827111	100 in stock	100	Groundline Slim 547mm with 15w 2700k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	12x55	547	24
	GS115830111	100 in stock	100	Groundline Slim 547mm with 15w 3000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125830111	100 in stock	100	Groundline Slim 547mm with 15w 3000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	25	547	24
	GS140830111	100 in stock	100	Groundline Slim 547mm with 15w 3000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	40	547	24
	GS160830111	100 in stock	100	Groundline Slim 547mm with 15w 3000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	60	547	24
	GS116830111	100 in stock	100	Groundline Slim 547mm with 15w 3000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	12x55	547	24
	GS115840111	100 in stock	100	Groundline Slim 547mm with 15w 4000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125840111	100 in stock	100	Groundline Slim 547mm with 15w 4000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	25	547	24
	GS140840111	100 in stock	100	Groundline Slim 547mm with 15w 4000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	40	547	24
	GS160840111	100 in stock	100	Groundline Slim 547mm with 15w 4000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	60	547	24
	GS116840111	100 in stock	100	Groundline Slim 547mm with 15w 4000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	12x55	547	24
	GS115860111	100 in stock	100	Groundline Slim 547mm with 15w 6000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125860111	100 in stock	100	Groundline Slim 547mm with 15w 6000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	25	547	24
	GS140860111	100 in stock	100	Groundline Slim 547mm with 15w 6000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	40	547	24
	GS160860111	100 in stock	100	Groundline Slim 547mm with 15w 6000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	60	547	24
	GS116860111	100 in stock	100	Groundline Slim 547mm with 15w 6000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	12x55	547	24
	GS115003111	100 in stock	100	Groundline Slim 547mm with 15w Blue 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125003111	100 in stock	100	Groundline Slim 547mm with 15w Blue 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	25	547	24
	GS140003111	100 in stock	100	Groundline Slim 547mm with 15w Blue 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	40	547	24
	GS160003111	100 in stock	100	Groundline Slim 547mm with 15w Blue 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	60	547	24
	GS116003111	100 in stock	100	Groundline Slim 547mm with 15w Blue 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	12x55	547	24
	GS115004111	100 in stock	100	Groundline Slim 547mm with 15w Amber 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125004111	100 in stock	100	Groundline Slim 547mm with 15w Amber 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	25	547	24
	GS140004111	100 in stock	100	Groundline Slim 547mm with 15w Amber 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	40	547	24
	GS160004111	100 in stock	100	Groundline Slim 547mm with 15w Amber 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	60	547	24
	GS116004111	100 in stock	100	Groundline Slim 547mm with 15w Amber 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	12x55	547	24
	GS115002111	100 in stock	100	Groundline Slim 547mm with 15w Green 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	15	547	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125002111	100 in stock	100	Groundline Slim 547mm with 15w Green 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	25	547	24
	GS140002111	100 in stock	100	Groundline Slim 547mm with 15w Green 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	40	547	24
	GS160002111	100 in stock	100	Groundline Slim 547mm with 15w Green 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	60	547	24
	GS116002111	100 in stock	100	Groundline Slim 547mm with 15w Green 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	12x55	547	24
	GS115001113	100 in stock	100	Groundline Slim 1050mm with 30w Red 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125001113	100 in stock	100	Groundline Slim 1050mm with 30w Red 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	25	1050	24
	GS140001113	100 in stock	100	Groundline Slim 1050mm with 30w Red 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	40	1050	24
	GS160001113	100 in stock	100	Groundline Slim 1050mm with 30w Red 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	60	1050	24
	GS116001113	100 in stock	100	Groundline Slim 1050mm with 30w Red 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Red	12x55	1050	24
	GS615005113	100 in stock	100	Groundline Slim 1050mm with 30w RGB 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS625005113	100 in stock	100	Groundline Slim 1050mm with 30w RGB 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	25	1050	24
	GS640005113	100 in stock	100	Groundline Slim 1050mm with 30w RGB 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	40	1050	24
	GS660005113	100 in stock	100	Groundline Slim 1050mm with 30w RGB 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	60	1050	24
	GS616005113	100 in stock	100	Groundline Slim 1050mm with 30w RGB 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	RGB	12x55	1050	24
	GS115822113	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125822113	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	25	1050	24
	GS140822113	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	40	1050	24
	GS160822113	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	60	1050	24
	GS116822113	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2200k	12x55	1050	24
	GS115827113	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125827113	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	25	1050	24
	GS140827113	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	40	1050	24
	GS160827113	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	60	1050	24
	GS116827113	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	2700k	12x55	1050	24
	GS115830113	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125830113	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	25	1050	24
	GS140830113	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	40	1050	24
	GS160830113	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	60	1050	24
	GS116830113	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	3000k	12x55	1050	24
	GS115840113	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125840113	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	25	1050	24
	GS140840113	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	40	1050	24
	GS160840113	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	60	1050	24
	GS116840113	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	4000k	12x55	1050	24
	GS115860113	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125860113	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	25	1050	24
	GS140860113	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	40	1050	24
	GS160860113	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	60	1050	24
	GS116860113	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	6000k	12x55	1050	24
	GS115003113	100 in stock	100	Groundline Slim 1050mm with 30w Blue 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125003113	100 in stock	100	Groundline Slim 1050mm with 30w Blue 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	25	1050	24
	GS140003113	100 in stock	100	Groundline Slim 1050mm with 30w Blue 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	40	1050	24
	GS160003113	100 in stock	100	Groundline Slim 1050mm with 30w Blue 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	60	1050	24
	GS116003113	100 in stock	100	Groundline Slim 1050mm with 30w Blue 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Blue	12x55	1050	24
	GS115004113	100 in stock	100	Groundline Slim 1050mm with 30w Amber 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125004113	100 in stock	100	Groundline Slim 1050mm with 30w Amber 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	25	1050	24
	GS140004113	100 in stock	100	Groundline Slim 1050mm with 30w Amber 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	40	1050	24
	GS160004113	100 in stock	100	Groundline Slim 1050mm with 30w Amber 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	60	1050	24
	GS116004113	100 in stock	100	Groundline Slim 1050mm with 30w Amber 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Amber	12x55	1050	24
	GS115002113	100 in stock	100	Groundline Slim 1050mm with 30w Green 15° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	15	1050	24

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125002113	100 in stock	100	Groundline Slim 1050mm with 30w Green 25° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	25	1050	24
	GS140002113	100 in stock	100	Groundline Slim 1050mm with 30w Green 40° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	40	1050	24
	GS160002113	100 in stock	100	Groundline Slim 1050mm with 30w Green 60° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	60	1050	24
	GS116002113	100 in stock	100	Groundline Slim 1050mm with 30w Green 12x55° light engine. IP67 Clear glass & Remote control gear. Finished in Brushed Stainless Steel	Green	12x55	1050	24
	GS115001011	100 in stock	100	Groundline Slim 547mm with 15w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125001011	100 in stock	100	Groundline Slim 547mm with 15w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	25	547	230
	GS140001011	100 in stock	100	Groundline Slim 547mm with 15w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	40	547	230
	GS160001011	100 in stock	100	Groundline Slim 547mm with 15w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	60	547	230
	GS116001011	100 in stock	100	Groundline Slim 547mm with 15w Red 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	12x55	547	230
	GS615005011	100 in stock	100	Groundline Slim 547mm with 15w RGB 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS625005011	100 in stock	100	Groundline Slim 547mm with 15w RGB 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	25	547	230
	GS640005011	100 in stock	100	Groundline Slim 547mm with 15w RGB 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	40	547	230
	GS660005011	100 in stock	100	Groundline Slim 547mm with 15w RGB 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	60	547	230
	GS616005011	100 in stock	100	Groundline Slim 547mm with 15w RGB 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	12x55	547	230
	GS115822011	100 in stock	100	Groundline Slim 547mm with 15w 2200K 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125822011	100 in stock	100	Groundline Slim 547mm with 15w 2200K 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	25	547	230
	GS140822011	100 in stock	100	Groundline Slim 547mm with 15w 2200K 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	40	547	230
	GS160822011	100 in stock	100	Groundline Slim 547mm with 15w 2200K 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	60	547	230
	GS116822011	100 in stock	100	Groundline Slim 547mm with 15w 2200K 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	12x55	547	230
	GS115827011	100 in stock	100	Groundline Slim 547mm with 15w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125827011	100 in stock	100	Groundline Slim 547mm with 15w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	25	547	230
	GS140827011	100 in stock	100	Groundline Slim 547mm with 15w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	40	547	230
	GS160827011	100 in stock	100	Groundline Slim 547mm with 15w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	60	547	230
	GS116827011	100 in stock	100	Groundline Slim 547mm with 15w 2700k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	12x55	547	230
	GS115830011	100 in stock	100	Groundline Slim 547mm with 15w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125830011	100 in stock	100	Groundline Slim 547mm with 15w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	25	547	230
	GS140830011	100 in stock	100	Groundline Slim 547mm with 15w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	40	547	230
	GS160830011	100 in stock	100	Groundline Slim 547mm with 15w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	60	547	230
	GS116830011	100 in stock	100	Groundline Slim 547mm with 15w 3000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	12x55	547	230
	GS115840011	100 in stock	100	Groundline Slim 547mm with 15w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125840011	100 in stock	100	Groundline Slim 547mm with 15w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	25	547	230
	GS140840011	100 in stock	100	Groundline Slim 547mm with 15w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	40	547	230
	GS160840011	100 in stock	100	Groundline Slim 547mm with 15w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	60	547	230
	GS116840011	100 in stock	100	Groundline Slim 547mm with 15w 4000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	12x55	547	230
	GS115860011	100 in stock	100	Groundline Slim 547mm with 15w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125860011	100 in stock	100	Groundline Slim 547mm with 15w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	25	547	230
	GS140860011	100 in stock	100	Groundline Slim 547mm with 15w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	40	547	230
	GS160860011	100 in stock	100	Groundline Slim 547mm with 15w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	60	547	230
	GS116860011	100 in stock	100	Groundline Slim 547mm with 15w 6000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	12x55	547	230
	GS115003011	100 in stock	100	Groundline Slim 547mm with 15w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125003011	100 in stock	100	Groundline Slim 547mm with 15w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	25	547	230
	GS140003011	100 in stock	100	Groundline Slim 547mm with 15w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	40	547	230
	GS160003011	100 in stock	100	Groundline Slim 547mm with 15w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	60	547	230
	GS116003011	100 in stock	100	Groundline Slim 547mm with 15w Blue 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	12x55	547	230
	GS115004011	100 in stock	100	Groundline Slim 547mm with 15w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125004011	100 in stock	100	Groundline Slim 547mm with 15w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	25	547	230
	GS140004011	100 in stock	100	Groundline Slim 547mm with 15w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	40	547	230
	GS160004011	100 in stock	100	Groundline Slim 547mm with 15w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	60	547	230
	GS116004011	100 in stock	100	Groundline Slim 547mm with 15w Amber 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	12x55	547	230
	GS115002011	100 in stock	100	Groundline Slim 547mm with 15w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	15	547	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125002011	100 in stock	100	Groundline Slim 547mm with 15w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	25	547	230
	GS140002011	100 in stock	100	Groundline Slim 547mm with 15w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	40	547	230
	GS160002011	100 in stock	100	Groundline Slim 547mm with 15w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	60	547	230
	GS116002011	100 in stock	100	Groundline Slim 547mm with 15w Green 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	12x55	547	230
	GS115001013	100 in stock	100	Groundline Slim 1050mm with 30w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125001013	100 in stock	100	Groundline Slim 1050mm with 30w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	25	1050	230
	GS140001013	100 in stock	100	Groundline Slim 1050mm with 30w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	40	1050	230
	GS160001013	100 in stock	100	Groundline Slim 1050mm with 30w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	60	1050	230
	GS116001013	100 in stock	100	Groundline Slim 1050mm with 30w Red 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Red	12x55	1050	230
	GS615005013	100 in stock	100	Groundline Slim 1050mm with 30w RGB 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS625005013	100 in stock	100	Groundline Slim 1050mm with 30w RGB 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	25	1050	230
	GS640005013	100 in stock	100	Groundline Slim 1050mm with 30w RGB 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	40	1050	230
	GS660005013	100 in stock	100	Groundline Slim 1050mm with 30w RGB 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	60	1050	230
	GS616005013	100 in stock	100	Groundline Slim 1050mm with 30w RGB 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	RGB	12x55	1050	230
	GS115822013	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125822013	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	25	1050	230
	GS140822013	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	40	1050	230
	GS160822013	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	60	1050	230
	GS116822013	100 in stock	100	Groundline Slim 1050mm with 30w 2200K 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2200k	12x55	1050	230
	GS115827013	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125827013	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	25	1050	230
	GS140827013	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	40	1050	230
	GS160827013	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	60	1050	230
	GS116827013	100 in stock	100	Groundline Slim 1050mm with 30w 2700k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	2700k	12x55	1050	230
	GS115830013	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125830013	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	25	1050	230
	GS140830013	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	40	1050	230
	GS160830013	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	60	1050	230
	GS116830013	100 in stock	100	Groundline Slim 1050mm with 30w 3000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	3000k	12x55	1050	230
	GS115840013	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125840013	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	25	1050	230
	GS140840013	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	40	1050	230
	GS160840013	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	60	1050	230
	GS116840013	100 in stock	100	Groundline Slim 1050mm with 30w 4000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	4000k	12x55	1050	230
	GS115860013	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125860013	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	25	1050	230
	GS140860013	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	40	1050	230
	GS160860013	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	60	1050	230
	GS116860013	100 in stock	100	Groundline Slim 1050mm with 30w 6000k 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	6000k	12x55	1050	230
	GS115003013	100 in stock	100	Groundline Slim 1050mm with 30w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125003013	100 in stock	100	Groundline Slim 1050mm with 30w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	25	1050	230
	GS140003013	100 in stock	100	Groundline Slim 1050mm with 30w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	40	1050	230
	GS160003013	100 in stock	100	Groundline Slim 1050mm with 30w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	60	1050	230
	GS116003013	100 in stock	100	Groundline Slim 1050mm with 30w Blue 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Blue	12x55	1050	230
	GS115004013	100 in stock	100	Groundline Slim 1050mm with 30w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125004013	100 in stock	100	Groundline Slim 1050mm with 30w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	25	1050	230
	GS140004013	100 in stock	100	Groundline Slim 1050mm with 30w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	40	1050	230
	GS160004013	100 in stock	100	Groundline Slim 1050mm with 30w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	60	1050	230
	GS116004013	100 in stock	100	Groundline Slim 1050mm with 30w Amber 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Amber	12x55	1050	230
	GS115002013	100 in stock	100	Groundline Slim 1050mm with 30w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	15	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Length	Product Voltage
	GS125002013	100 in stock	100	Groundline Slim 1050mm with 30w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	25	1050	230
	GS140002013	100 in stock	100	Groundline Slim 1050mm with 30w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	40	1050	230
	GS160002013	100 in stock	100	Groundline Slim 1050mm with 30w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	60	1050	230
	GS116002013	100 in stock	100	Groundline Slim 1050mm with 30w Green 12x55° light engine. IP67 Clear glass & Integral control gear. Finished in Brushed Stainless Steel	Green	12x55	1050	230

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com