Groundline TL



PRODUCT DESCRIPTION

The Tryka Groundline Trimless is a high performance inground linear fixture, featuring low-glare precision optics and microlouvre system. Designed to allow the finished floor to fit tight to the luminaire with only 2mm trim visible. The glass features a black screen-print as standard, although this can be customised to any RAL colour according to the floor finish.

Categories: Groundline, Linear

Line drawing



VARIATIONS

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL115822110	100 in stock	100	Groundline TL 300mm with 12w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2200k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822110	100 in stock	100	Groundline TL 300mm with 12w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2200k	25	Black
	GTL140822110	100 in stock	100	Groundline TL 300mm with 12w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2200k	40	Black
	GTL160822110	100 in stock	100	Groundline TL 300mm with 12w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2200k	60	Black
	GTL117822110	100 in stock	100	Groundline TL 300mm with 12w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2200k	10x30	Black
	GTL115827110	100 in stock	100	Groundline TL 300mm with 12w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2700k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827110	100 in stock	100	Groundline TL 300mm with 12w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2700k	25	Black
	GTL140827110	100 in stock	100	Groundline TL 300mm with 12w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2700k	40	Black
	GTL160827110	100 in stock	100	Groundline TL 300mm with 12w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2700k	60	Black
	GTL117827110	100 in stock	100	Groundline TL 300mm with 12w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	2700k	10x30	Black
	GTL115830110	100 in stock	100	Groundline TL 300mm with 12w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	3000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830110	100 in stock	100	Groundline TL 300mm with 12w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	3000k	25	Black
	GTL140830110	100 in stock	100	Groundline TL 300mm with 12w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	3000k	40	Black
	GTL160830110	100 in stock	100	Groundline TL 300mm with 12w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	3000k	60	Black
	GTL117830110	100 in stock	100	Groundline TL 300mm with 12w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	3000k	10x30	Black
	GTL115840110	100 in stock	100	Groundline TL 300mm with 12w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	4000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840110	100 in stock	100	Groundline TL 300mm with 12w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	4000k	25	Black
	GTL140840110	100 in stock	100	Groundline TL 300mm with 12w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	4000k	40	Black
	GTL160840110	100 in stock	100	Groundline TL 300mm with 12w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	4000k	60	Black
	GTL117840110	100 in stock	100	Groundline TL 300mm with 12w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	4000k	10x30	Black
	GTL115860110	100 in stock	100	Groundline TL 300mm with 12w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	6000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860110	100 in stock	100	Groundline TL 300mm with 12w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	6000k	25	Black
	GTL140860110	100 in stock	100	Groundline TL 300mm with 12w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	6000k	40	Black
	GTL160860110	100 in stock	100	Groundline TL 300mm with 12w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	6000k	60	Black
	GTL117860110	100 in stock	100	Groundline TL 300mm with 12w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	6000k	10x30	Black
	GTL115801110	100 in stock	100	Groundline TL 300mm with 12w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Red	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801110	100 in stock	100	Groundline TL 300mm with 12w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Red	25	Black
	GTL140801110	100 in stock	100	Groundline TL 300mm with 12w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Red	40	Black
	GTL160801110	100 in stock	100	Groundline TL 300mm with 12w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Red	60	Black
	GTL117801110	100 in stock	100	Groundline TL 300mm with 12w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Red	10x30	Black
	GTL115802110	100 in stock	100	Groundline TL 300mm with 12w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Green	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802110	100 in stock	100	Groundline TL 300mm with 12w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Green	25	Black
	GTL140802110	100 in stock	100	Groundline TL 300mm with 12w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Green	40	Black
	GTL160802110	100 in stock	100	Groundline TL 300mm with 12w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Green	60	Black
	GTL117802110	100 in stock	100	Groundline TL 300mm with 12w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Green	10x30	Black
	GTL115803110	100 in stock	100	Groundline TL 300mm with 12w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Blue	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803110	100 in stock	100	Groundline TL 300mm with 12w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Blue	25	Black
	GTL140803110	100 in stock	100	Groundline TL 300mm with 12w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Blue	40	Black
	GTL160803110	100 in stock	100	Groundline TL 300mm with 12w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Blue	60	Black
	GTL117803110	100 in stock	100	Groundline TL 300mm with 12w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Blue	10x30	Black
	GTL115804110	100 in stock	100	Groundline TL 300mm with 12w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Amber	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804110	100 in stock	100	Groundline TL 300mm with 12w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Amber	25	Black
	GTL140804110	100 in stock	100	Groundline TL 300mm with 12w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Amber	40	Black
	GTL160804110	100 in stock	100	Groundline TL 300mm with 12w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Amber	60	Black
	GTL117804110	100 in stock	100	Groundline TL 300mm with 12w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	Amber	10x30	Black
	GTL515808110	100 in stock	100	Groundline TL 300mm with 12w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB30K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808110	100 in stock	100	Groundline TL 300mm with 12w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB30K	25	Black
	GTL540808110	100 in stock	100	Groundline TL 300mm with 12w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB30K	40	Black
	GTL560808110	100 in stock	100	Groundline TL 300mm with 12w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB30K	60	Black
	GTL517808110	100 in stock	100	Groundline TL 300mm with 12w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB30K	10x30	Black
	GTL515809110	100 in stock	100	Groundline TL 300mm with 12w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB40K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809110	100 in stock	100	Groundline TL 300mm with 12w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB40K	25	Black
	GTL540809110	100 in stock	100	Groundline TL 300mm with 12w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB40K	40	Black
	GTL560809110	100 in stock	100	Groundline TL 300mm with 12w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB40K	60	Black
	GTL517809110	100 in stock	100	Groundline TL 300mm with 12w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	300	RGB40K	10x30	Black
	GTL115822110C	100 in stock	100	Groundline TL 300mm with 12w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2200k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822110C	100 in stock	100	Groundline TL 300mm with 12w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2200k	25	Custom
	GTL140822110C	100 in stock	100	Groundline TL 300mm with 12w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2200k	40	Custom
	GTL160822110C	100 in stock	100	Groundline TL 300mm with 12w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2200k	60	Custom
	GTL117822110C	100 in stock	100	Groundline TL 300mm with 12w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2200k	10x30	Custom
	GTL115827110C	100 in stock	100	Groundline TL 300mm with 12w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2700k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827110C	100 in stock	100	Groundline TL 300mm with 12w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2700k	25	Custom
	GTL140827110C	100 in stock	100	Groundline TL 300mm with 12w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2700k	40	Custom
	GTL160827110C	100 in stock	100	Groundline TL 300mm with 12w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2700k	60	Custom
	GTL117827110C	100 in stock	100	Groundline TL 300mm with 12w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	2700k	10x30	Custom
	GTL115830110C	100 in stock	100	Groundline TL 300mm with 12w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	3000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830110C	100 in stock	100	Groundline TL 300mm with 12w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	3000k	25	Custom
	GTL140830110C	100 in stock	100	Groundline TL 300mm with 12w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	3000k	40	Custom
	GTL160830110C	100 in stock	100	Groundline TL 300mm with 12w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	3000k	60	Custom
	GTL117830110C	100 in stock	100	Groundline TL 300mm with 12w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	3000k	10x30	Custom
	GTL115840110C	100 in stock	100	Groundline TL 300mm with 12w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	4000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840110C	100 in stock	100	Groundline TL 300mm with 12w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	4000k	25	Custom
	GTL140840110C	100 in stock	100	Groundline TL 300mm with 12w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	4000k	40	Custom
	GTL160840110C	100 in stock	100	Groundline TL 300mm with 12w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	4000k	60	Custom
	GTL117840110C	100 in stock	100	Groundline TL 300mm with 12w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	4000k	10x30	Custom
	GTL115860110C	100 in stock	100	Groundline TL 300mm with 12w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	6000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860110C	100 in stock	100	Groundline TL 300mm with 12w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	6000k	25	Custom
	GTL140860110C	100 in stock	100	Groundline TL 300mm with 12w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	6000k	40	Custom
	GTL160860110C	100 in stock	100	Groundline TL 300mm with 12w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	6000k	60	Custom
	GTL117860110C	100 in stock	100	Groundline TL 300mm with 12w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	6000k	10x30	Custom
	GTL115801110C	100 in stock	100	Groundline TL 300mm with 12w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Red	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801110C	100 in stock	100	Groundline TL 300mm with 12w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Red	25	Custom
	GTL140801110C	100 in stock	100	Groundline TL 300mm with 12w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Red	40	Custom
	GTL160801110C	100 in stock	100	Groundline TL 300mm with 12w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Red	60	Custom
	GTL117801110C	100 in stock	100	Groundline TL 300mm with 12w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Red	10x30	Custom
	GTL115802110C	100 in stock	100	Groundline TL 300mm with 12w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Green	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802110C	100 in stock	100	Groundline TL 300mm with 12w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Green	25	Custom
	GTL140802110C	100 in stock	100	Groundline TL 300mm with 12w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Green	40	Custom
	GTL160802110C	100 in stock	100	Groundline TL 300mm with 12w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Green	60	Custom
	GTL117802110C	100 in stock	100	Groundline TL 300mm with 12w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Green	10x30	Custom
	GTL115803110C	100 in stock	100	Groundline TL 300mm with 12w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Blue	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803110C	100 in stock	100	Groundline TL 300mm with 12w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Blue	25	Custom
	GTL140803110C	100 in stock	100	Groundline TL 300mm with 12w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Blue	40	Custom
	GTL160803110C	100 in stock	100	Groundline TL 300mm with 12w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Blue	60	Custom
	GTL117803110C	100 in stock	100	Groundline TL 300mm with 12w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Blue	10x30	Custom
	GTL115804110C	100 in stock	100	Groundline TL 300mm with 12w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Amber	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804110C	100 in stock	100	Groundline TL 300mm with 12w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Amber	25	Custom
	GTL140804110C	100 in stock	100	Groundline TL 300mm with 12w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Amber	40	Custom
	GTL160804110C	100 in stock	100	Groundline TL 300mm with 12w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Amber	60	Custom
	GTL117804110C	100 in stock	100	Groundline TL 300mm with 12w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	Amber	10x30	Custom
	GTL515808110C	100 in stock	100	Groundline TL 300mm with 12w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB30K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808110C	100 in stock	100	Groundline TL 300mm with 12w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB30K	25	Custom
	GTL540808110C	100 in stock	100	Groundline TL 300mm with 12w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB30K	40	Custom
	GTL560808110C	100 in stock	100	Groundline TL 300mm with 12w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB30K	60	Custom
	GTL517808110C	100 in stock	100	Groundline TL 300mm with 12w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB30K	10x30	Custom
	GTL515809110C	100 in stock	100	Groundline TL 300mm with 12w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB40K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809110C	100 in stock	100	Groundline TL 300mm with 12w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB40K	25	Custom
	GTL540809110C	100 in stock	100	Groundline TL 300mm with 12w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB40K	40	Custom
	GTL560809110C	100 in stock	100	Groundline TL 300mm with 12w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB40K	60	Custom
	GTL517809110C	100 in stock	100	Groundline TL 300mm with 12w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	300	RGB40K	10x30	Custom
	GTL115822111	100 in stock	100	Groundline TL 600mm with 24w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2200k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822111	100 in stock	100	Groundline TL 600mm with 24w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2200k	25	Black
	GTL140822111	100 in stock	100	Groundline TL 600mm with 24w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2200k	40	Black
	GTL160822111	100 in stock	100	Groundline TL 600mm with 24w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2200k	60	Black
	GTL117822111	100 in stock	100	Groundline TL 600mm with 24w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2200k	10x30	Black
	GTL115827111	100 in stock	100	Groundline TL 600mm with 24w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2700k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827111	100 in stock	100	Groundline TL 600mm with 24w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2700k	25	Black
	GTL140827111	100 in stock	100	Groundline TL 600mm with 24w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2700k	40	Black
	GTL160827111	100 in stock	100	Groundline TL 600mm with 24w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2700k	60	Black
	GTL117827111	100 in stock	100	Groundline TL 600mm with 24w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	2700k	10x30	Black
	GTL115830111	100 in stock	100	Groundline TL 600mm with 24w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	3000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830111	100 in stock	100	Groundline TL 600mm with 24w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	3000k	25	Black
	GTL140830111	100 in stock	100	Groundline TL 600mm with 24w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	3000k	40	Black
	GTL160830111	100 in stock	100	Groundline TL 600mm with 24w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	3000k	60	Black
	GTL117830111	100 in stock	100	Groundline TL 600mm with 24w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	3000k	10x30	Black
	GTL115840111	100 in stock	100	Groundline TL 600mm with 24w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	4000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840111	100 in stock	100	Groundline TL 600mm with 24w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	4000k	25	Black
	GTL140840111	100 in stock	100	Groundline TL 600mm with 24w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	4000k	40	Black
	GTL160840111	100 in stock	100	Groundline TL 600mm with 24w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	4000k	60	Black
	GTL117840111	100 in stock	100	Groundline TL 600mm with 24w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	4000k	10x30	Black
	GTL115860111	100 in stock	100	Groundline TL 600mm with 24w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	6000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860111	100 in stock	100	Groundline TL 600mm with 24w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	6000k	25	Black
	GTL140860111	100 in stock	100	Groundline TL 600mm with 24w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	6000k	40	Black
	GTL160860111	100 in stock	100	Groundline TL 600mm with 24w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	6000k	60	Black
	GTL117860111	100 in stock	100	Groundline TL 600mm with 24w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	6000k	10x30	Black
	GTL115801111	100 in stock	100	Groundline TL 600mm with 24w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Red	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801111	100 in stock	100	Groundline TL 600mm with 24w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Red	25	Black
	GTL140801111	100 in stock	100	Groundline TL 600mm with 24w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Red	40	Black
	GTL160801111	100 in stock	100	Groundline TL 600mm with 24w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Red	60	Black
	GTL117801111	100 in stock	100	Groundline TL 600mm with 24w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Red	10x30	Black
	GTL115802111	100 in stock	100	Groundline TL 600mm with 24w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Green	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802111	100 in stock	100	Groundline TL 600mm with 24w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Green	25	Black
	GTL140802111	100 in stock	100	Groundline TL 600mm with 24w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Green	40	Black
	GTL160802111	100 in stock	100	Groundline TL 600mm with 24w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Green	60	Black
	GTL117802111	100 in stock	100	Groundline TL 600mm with 24w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Green	10x30	Black
	GTL115803111	100 in stock	100	Groundline TL 600mm with 24w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Blue	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803111	100 in stock	100	Groundline TL 600mm with 24w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Blue	25	Black
	GTL140803111	100 in stock	100	Groundline TL 600mm with 24w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Blue	40	Black
	GTL160803111	100 in stock	100	Groundline TL 600mm with 24w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Blue	60	Black
	GTL117803111	100 in stock	100	Groundline TL 600mm with 24w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Blue	10x30	Black
	GTL115804111	100 in stock	100	Groundline TL 600mm with 24w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Amber	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804111	100 in stock	100	Groundline TL 600mm with 24w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Amber	25	Black
	GTL140804111	100 in stock	100	Groundline TL 600mm with 24w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Amber	40	Black
	GTL160804111	100 in stock	100	Groundline TL 600mm with 24w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Amber	60	Black
	GTL117804111	100 in stock	100	Groundline TL 600mm with 24w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	Amber	10x30	Black
	GTL515808111	100 in stock	100	Groundline TL 600mm with 24w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB30K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808111	100 in stock	100	Groundline TL 600mm with 24w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB30K	25	Black
	GTL540808111	100 in stock	100	Groundline TL 600mm with 24w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB30K	40	Black
	GTL560808111	100 in stock	100	Groundline TL 600mm with 24w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB30K	60	Black
	GTL517808111	100 in stock	100	Groundline TL 600mm with 24w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB30K	10x30	Black
	GTL515809111	100 in stock	100	Groundline TL 600mm with 24w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB40K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809111	100 in stock	100	Groundline TL 600mm with 24w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB40K	25	Black
	GTL540809111	100 in stock	100	Groundline TL 600mm with 24w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB40K	40	Black
	GTL560809111	100 in stock	100	Groundline TL 600mm with 24w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB40K	60	Black
	GTL517809111	100 in stock	100	Groundline TL 600mm with 24w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	600	RGB40K	10x30	Black
	GTL115822111C	100 in stock	100	Groundline TL 600mm with 24w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2200k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822111C	100 in stock	100	Groundline TL 600mm with 24w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2200k	25	Custom
	GTL140822111C	100 in stock	100	Groundline TL 600mm with 24w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2200k	40	Custom
	GTL160822111C	100 in stock	100	Groundline TL 600mm with 24w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2200k	60	Custom
	GTL117822111C	100 in stock	100	Groundline TL 600mm with 24w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2200k	10x30	Custom
	GTL115827111C	100 in stock	100	Groundline TL 600mm with 24w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2700k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827111C	100 in stock	100	Groundline TL 600mm with 24w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2700k	25	Custom
	GTL140827111C	100 in stock	100	Groundline TL 600mm with 24w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2700k	40	Custom
	GTL160827111C	100 in stock	100	Groundline TL 600mm with 24w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2700k	60	Custom
	GTL117827111C	100 in stock	100	Groundline TL 600mm with 24w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	2700k	10x30	Custom
	GTL115830111C	100 in stock	100	Groundline TL 600mm with 24w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	3000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830111C	100 in stock	100	Groundline TL 600mm with 24w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	3000k	25	Custom
	GTL140830111C	100 in stock	100	Groundline TL 600mm with 24w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	3000k	40	Custom
	GTL160830111C	100 in stock	100	Groundline TL 600mm with 24w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	3000k	60	Custom
	GTL117830111C	100 in stock	100	Groundline TL 600mm with 24w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	3000k	10x30	Custom
	GTL115840111C	100 in stock	100	Groundline TL 600mm with 24w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	4000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840111C	100 in stock	100	Groundline TL 600mm with 24w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	4000k	25	Custom
	GTL140840111C	100 in stock	100	Groundline TL 600mm with 24w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	4000k	40	Custom
	GTL160840111C	100 in stock	100	Groundline TL 600mm with 24w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	4000k	60	Custom
	GTL117840111C	100 in stock	100	Groundline TL 600mm with 24w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	4000k	10x30	Custom
	GTL115860111C	100 in stock	100	Groundline TL 600mm with 24w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	6000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860111C	100 in stock	100	Groundline TL 600mm with 24w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	6000k	25	Custom
	GTL140860111C	100 in stock	100	Groundline TL 600mm with 24w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	6000k	40	Custom
	GTL160860111C	100 in stock	100	Groundline TL 600mm with 24w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	6000k	60	Custom
	GTL117860111C	100 in stock	100	Groundline TL 600mm with 24w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	6000k	10x30	Custom
	GTL115801111C	100 in stock	100	Groundline TL 600mm with 24w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Red	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801111C	100 in stock	100	Groundline TL 600mm with 24w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Red	25	Custom
	GTL140801111C	100 in stock	100	Groundline TL 600mm with 24w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Red	40	Custom
	GTL160801111C	100 in stock	100	Groundline TL 600mm with 24w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Red	60	Custom
	GTL117801111C	100 in stock	100	Groundline TL 600mm with 24w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Red	10x30	Custom
	GTL115802111C	100 in stock	100	Groundline TL 600mm with 24w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Green	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802111C	100 in stock	100	Groundline TL 600mm with 24w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Green	25	Custom
	GTL140802111C	100 in stock	100	Groundline TL 600mm with 24w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Green	40	Custom
	GTL160802111C	100 in stock	100	Groundline TL 600mm with 24w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Green	60	Custom
	GTL117802111C	100 in stock	100	Groundline TL 600mm with 24w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Green	10x30	Custom
	GTL115803111C	100 in stock	100	Groundline TL 600mm with 24w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Blue	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803111C	100 in stock	100	Groundline TL 600mm with 24w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Blue	25	Custom
	GTL140803111C	100 in stock	100	Groundline TL 600mm with 24w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Blue	40	Custom
	GTL160803111C	100 in stock	100	Groundline TL 600mm with 24w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Blue	60	Custom
	GTL117803111C	100 in stock	100	Groundline TL 600mm with 24w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Blue	10x30	Custom
	GTL115804111C	100 in stock	100	Groundline TL 600mm with 24w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Amber	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804111C	100 in stock	100	Groundline TL 600mm with 24w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Amber	25	Custom
	GTL140804111C	100 in stock	100	Groundline TL 600mm with 24w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Amber	40	Custom
	GTL160804111C	100 in stock	100	Groundline TL 600mm with 24w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Amber	60	Custom
	GTL117804111C	100 in stock	100	Groundline TL 600mm with 24w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	Amber	10x30	Custom
	GTL515808111C	100 in stock	100	Groundline TL 600mm with 24w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB30K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808111C	100 in stock	100	Groundline TL 600mm with 24w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB30K	25	Custom
	GTL540808111C	100 in stock	100	Groundline TL 600mm with 24w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB30K	40	Custom
	GTL560808111C	100 in stock	100	Groundline TL 600mm with 24w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB30K	60	Custom
	GTL517808111C	100 in stock	100	Groundline TL 600mm with 24w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB30K	10x30	Custom
	GTL515809111C	100 in stock	100	Groundline TL 600mm with 24w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB40K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809111C	100 in stock	100	Groundline TL 600mm with 24w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB40K	25	Custom
	GTL540809111C	100 in stock	100	Groundline TL 600mm with 24w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB40K	40	Custom
	GTL560809111C	100 in stock	100	Groundline TL 600mm with 24w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB40K	60	Custom
	GTL517809111C	100 in stock	100	Groundline TL 600mm with 24w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	600	RGB40K	10x30	Custom
	GTL115822112	100 in stock	100	Groundline TL 1200mm with 48w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2200k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822112	100 in stock	100	Groundline TL 1200mm with 48w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2200k	25	Black
	GTL140822112	100 in stock	100	Groundline TL 1200mm with 48w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2200k	40	Black
	GTL160822112	100 in stock	100	Groundline TL 1200mm with 48w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2200k	60	Black
	GTL117822112	100 in stock	100	Groundline TL 1200mm with 48w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2200k	10x30	Black
	GTL115827112	100 in stock	100	Groundline TL 1200mm with 48w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2700k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827112	100 in stock	100	Groundline TL 1200mm with 48w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2700k	25	Black
	GTL140827112	100 in stock	100	Groundline TL 1200mm with 48w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2700k	40	Black
	GTL160827112	100 in stock	100	Groundline TL 1200mm with 48w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2700k	60	Black
	GTL117827112	100 in stock	100	Groundline TL 1200mm with 48w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	2700k	10x30	Black
	GTL115830112	100 in stock	100	Groundline TL 1200mm with 48w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	3000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830112	100 in stock	100	Groundline TL 1200mm with 48w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	3000k	25	Black
	GTL140830112	100 in stock	100	Groundline TL 1200mm with 48w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	3000k	40	Black
	GTL160830112	100 in stock	100	Groundline TL 1200mm with 48w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	3000k	60	Black
	GTL117830112	100 in stock	100	Groundline TL 1200mm with 48w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	3000k	10x30	Black
	GTL115840112	100 in stock	100	Groundline TL 1200mm with 48w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	4000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840112	100 in stock	100	Groundline TL 1200mm with 48w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	4000k	25	Black
	GTL140840112	100 in stock	100	Groundline TL 1200mm with 48w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	4000k	40	Black
	GTL160840112	100 in stock	100	Groundline TL 1200mm with 48w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	4000k	60	Black
	GTL117840112	100 in stock	100	Groundline TL 1200mm with 48w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	4000k	10x30	Black
	GTL115860112	100 in stock	100	Groundline TL 1200mm with 48w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	6000k	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860112	100 in stock	100	Groundline TL 1200mm with 48w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	6000k	25	Black
	GTL140860112	100 in stock	100	Groundline TL 1200mm with 48w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	6000k	40	Black
	GTL160860112	100 in stock	100	Groundline TL 1200mm with 48w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	6000k	60	Black
	GTL117860112	100 in stock	100	Groundline TL 1200mm with 48w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	6000k	10x30	Black
	GTL115801112	100 in stock	100	Groundline TL 1200mm with 48w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Red	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801112	100 in stock	100	Groundline TL 1200mm with 48w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Red	25	Black
	GTL140801112	100 in stock	100	Groundline TL 1200mm with 48w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Red	40	Black
	GTL160801112	100 in stock	100	Groundline TL 1200mm with 48w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Red	60	Black
	GTL117801112	100 in stock	100	Groundline TL 1200mm with 48w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Red	10x30	Black
	GTL115802112	100 in stock	100	Groundline TL 1200mm with 48w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Green	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802112	100 in stock	100	Groundline TL 1200mm with 48w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Green	25	Black
	GTL140802112	100 in stock	100	Groundline TL 1200mm with 48w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Green	40	Black
	GTL160802112	100 in stock	100	Groundline TL 1200mm with 48w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Green	60	Black
	GTL117802112	100 in stock	100	Groundline TL 1200mm with 48w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Green	10x30	Black
	GTL115803112	100 in stock	100	Groundline TL 1200mm with 48w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Blue	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803112	100 in stock	100	Groundline TL 1200mm with 48w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Blue	25	Black
	GTL140803112	100 in stock	100	Groundline TL 1200mm with 48w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Blue	40	Black
	GTL160803112	100 in stock	100	Groundline TL 1200mm with 48w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Blue	60	Black
	GTL117803112	100 in stock	100	Groundline TL 1200mm with 48w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Blue	10x30	Black
	GTL115804112	100 in stock	100	Groundline TL 1200mm with 48w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Amber	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804112	100 in stock	100	Groundline TL 1200mm with 48w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Amber	25	Black
	GTL140804112	100 in stock	100	Groundline TL 1200mm with 48w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Amber	40	Black
	GTL160804112	100 in stock	100	Groundline TL 1200mm with 48w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Amber	60	Black
	GTL117804112	100 in stock	100	Groundline TL 1200mm with 48w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	Amber	10x30	Black
	GTL515808112	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB30K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808112	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB30K	25	Black
	GTL540808112	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB30K	40	Black
	GTL560808112	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB30K	60	Black
	GTL517808112	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB30K	10x30	Black
	GTL515809112	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB40K	15	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809112	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB40K	25	Black
	GTL540809112	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB40K	40	Black
	GTL560809112	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB40K	60	Black
	GTL517809112	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Black	1200	RGB40K	10x30	Black
	GTL115822112C	100 in stock	100	Groundline TL 1200mm with 48w 2200k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2200k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125822112C	100 in stock	100	Groundline TL 1200mm with 48w 2200k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2200k	25	Custom
	GTL140822112C	100 in stock	100	Groundline TL 1200mm with 48w 2200k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2200k	40	Custom
	GTL160822112C	100 in stock	100	Groundline TL 1200mm with 48w 2200k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2200k	60	Custom
	GTL117822112C	100 in stock	100	Groundline TL 1200mm with 48w 2200k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2200k	10x30	Custom
	GTL115827112C	100 in stock	100	Groundline TL 1200mm with 48w 2700k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2700k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125827112C	100 in stock	100	Groundline TL 1200mm with 48w 2700k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2700k	25	Custom
	GTL140827112C	100 in stock	100	Groundline TL 1200mm with 48w 2700k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2700k	40	Custom
	GTL160827112C	100 in stock	100	Groundline TL 1200mm with 48w 2700k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2700k	60	Custom
	GTL117827112C	100 in stock	100	Groundline TL 1200mm with 48w 2700k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	2700k	10x30	Custom
	GTL115830112C	100 in stock	100	Groundline TL 1200mm with 48w 3000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	3000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125830112C	100 in stock	100	Groundline TL 1200mm with 48w 3000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	3000k	25	Custom
	GTL140830112C	100 in stock	100	Groundline TL 1200mm with 48w 3000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	3000k	40	Custom
	GTL160830112C	100 in stock	100	Groundline TL 1200mm with 48w 3000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	3000k	60	Custom
	GTL117830112C	100 in stock	100	Groundline TL 1200mm with 48w 3000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	3000k	10x30	Custom
	GTL115840112C	100 in stock	100	Groundline TL 1200mm with 48w 4000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	4000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125840112C	100 in stock	100	Groundline TL 1200mm with 48w 4000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	4000k	25	Custom
	GTL140840112C	100 in stock	100	Groundline TL 1200mm with 48w 4000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	4000k	40	Custom
	GTL160840112C	100 in stock	100	Groundline TL 1200mm with 48w 4000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	4000k	60	Custom
	GTL117840112C	100 in stock	100	Groundline TL 1200mm with 48w 4000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	4000k	10x30	Custom
	GTL115860112C	100 in stock	100	Groundline TL 1200mm with 48w 6000k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	6000k	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125860112C	100 in stock	100	Groundline TL 1200mm with 48w 6000k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	6000k	25	Custom
	GTL140860112C	100 in stock	100	Groundline TL 1200mm with 48w 6000k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	6000k	40	Custom
	GTL160860112C	100 in stock	100	Groundline TL 1200mm with 48w 6000k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	6000k	60	Custom
	GTL117860112C	100 in stock	100	Groundline TL 1200mm with 48w 6000k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	6000k	10x30	Custom
	GTL115801112C	100 in stock	100	Groundline TL 1200mm with 48w Red 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Red	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125801112C	100 in stock	100	Groundline TL 1200mm with 48w Red 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Red	25	Custom
	GTL140801112C	100 in stock	100	Groundline TL 1200mm with 48w Red 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Red	40	Custom
	GTL160801112C	100 in stock	100	Groundline TL 1200mm with 48w Red 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Red	60	Custom
	GTL117801112C	100 in stock	100	Groundline TL 1200mm with 48w Red 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Red	10x30	Custom
	GTL115802112C	100 in stock	100	Groundline TL 1200mm with 48w Green 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Green	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125802112C	100 in stock	100	Groundline TL 1200mm with 48w Green 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Green	25	Custom
	GTL140802112C	100 in stock	100	Groundline TL 1200mm with 48w Green 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Green	40	Custom
	GTL160802112C	100 in stock	100	Groundline TL 1200mm with 48w Green 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Green	60	Custom
	GTL117802112C	100 in stock	100	Groundline TL 1200mm with 48w Green 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Green	10x30	Custom
	GTL115803112C	100 in stock	100	Groundline TL 1200mm with 48w Blue 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Blue	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125803112C	100 in stock	100	Groundline TL 1200mm with 48w Blue 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Blue	25	Custom
	GTL140803112C	100 in stock	100	Groundline TL 1200mm with 48w Blue 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Blue	40	Custom
	GTL160803112C	100 in stock	100	Groundline TL 1200mm with 48w Blue 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Blue	60	Custom
	GTL117803112C	100 in stock	100	Groundline TL 1200mm with 48w Blue 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Blue	10x30	Custom
	GTL115804112C	100 in stock	100	Groundline TL 1200mm with 48w Amber 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Amber	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL125804112C	100 in stock	100	Groundline TL 1200mm with 48w Amber 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Amber	25	Custom
	GTL140804112C	100 in stock	100	Groundline TL 1200mm with 48w Amber 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Amber	40	Custom
	GTL160804112C	100 in stock	100	Groundline TL 1200mm with 48w Amber 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Amber	60	Custom
	GTL117804112C	100 in stock	100	Groundline TL 1200mm with 48w Amber 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	Amber	10x30	Custom
	GTL515808112C	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB30K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525808112C	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB30K	25	Custom
	GTL540808112C	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB30K	40	Custom
	GTL560808112C	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB30K	60	Custom
	GTL517808112C	100 in stock	100	Groundline TL 1200mm with 48w RGB30k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB30K	10x30	Custom
	GTL515809112C	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 15° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB40K	15	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	Product Length	CCT	Beam Angle	Trim Finish
	GTL525809112C	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 25° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB40K	25	Custom
	GTL540809112C	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 40° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB40K	40	Custom
	GTL560809112C	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 60° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB40K	60	Custom
	GTL517809112C	100 in stock	100	Groundline TL 1200mm with 48w RGB40k 10x30° light engine. IP67 Clear glass & Integral control gear. Finished in Custom	1200	RGB40K	10x30	Custom

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com