LUMAP

Luma Pendant

PRODUCT DESCRIPTION
Categories: Pendant, Track

Line drawing



VARIATIONS

As part of our continuous product development we reserve the
right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30115927110	100 in stock	100	Luma30 with 6w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	15	30	Black
	LM30115930110	100 in stock	100	Luma30 with 6w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	15	30	Black
	LM30115935110	100 in stock	100	Luma30 with 6w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	15	30	Black
	LM30115940110	100 in stock	100	Luma30 with 6w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	15	30	Black
	LM30124927110	100 in stock	100	Luma30 with 6w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	24	30	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30124930110	100 in stock	100	Luma30 with 6w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	24	30	Black
	LM30124935110	100 in stock	100	Luma30 with 6w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	24	30	Black
	LM30124940110	100 in stock	100	Luma30 with 6w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	24	30	Black
	LM30136927110	100 in stock	100	Luma30 with 6w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	36	30	Black
	LM30136930110	100 in stock	100	Luma30 with 6w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	36	30	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30136935110	100 in stock	100	Luma30 with 6w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	36	30	Black
	LM30136940110	100 in stock	100	Luma30 with 6w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	36	30	Black
	LM30150927110	100 in stock	100	Luma30 with 6w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	50	30	Black
	LM30150930110	100 in stock	100	Luma30 with 6w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	50	30	Black
	LM30150935110	100 in stock	100	Luma30 with 6w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	50	30	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30150940110	100 in stock	100	Luma30 with 6w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	50	30	Black
	LM30115927210	100 in stock	100	Luma30 with 6w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	15	30	White
	LM30115930210	100 in stock	100	Luma30 with 6w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	15	30	White
	LM30115935210	100 in stock	100	Luma30 with 6w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	15	30	White
	LM30115940210	100 in stock	100	Luma30 with 6w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	15	30	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30124927210	100 in stock	100	Luma30 with 6w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	24	30	White
	LM30124930210	100 in stock	100	Luma30 with 6w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	24	30	White
	LM30124935210	100 in stock	100	Luma30 with 6w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	24	30	White
	LM30124940210	100 in stock	100	Luma30 with 6w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	24	30	White
	LM30136927210	100 in stock	100	Luma30 with 6w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	36	30	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30136930210	100 in stock	100	Luma30 with 6w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	36	30	White
	LM30136935210	100 in stock	100	Luma30 with 6w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	36	30	White
	LM30136940210	100 in stock	100	Luma30 with 6w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	36	30	White
	LM30150927210	100 in stock	100	Luma30 with 6w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	50	30	White
	LM30150930210	100 in stock	100	Luma30 with 6w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	50	30	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30150935210	100 in stock	100	Luma30 with 6w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	50	30	White
	LM30150940210	100 in stock	100	Luma30 with 6w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	50	30	White
	LM30115927910	100 in stock	100	Luma30 with 6w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	15	30	Polished Silver
	LM30115930910	100 in stock	100	Luma30 with 6w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	15	30	Polished Silver
	LM30115935910	100 in stock	100	Luma30 with 6w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	15	30	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30115940910	100 in stock	100	Luma30 with 6w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	15	30	Polished Silver
	LM30124927910	100 in stock	100	Luma30 with 6w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	24	30	Polished Silver
	LM30124930910	100 in stock	100	Luma30 with 6w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	24	30	Polished Silver
	LM30124935910	100 in stock	100	Luma30 with 6w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	24	30	Polished Silver
	LM30124940910	100 in stock	100	Luma30 with 6w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	24	30	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30136927910	100 in stock	100	Luma30 with 6w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	36	30	Polished Silver
	LM30136930910	100 in stock	100	Luma30 with 6w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	36	30	Polished Silver
	LM30136935910	100 in stock	100	Luma30 with 6w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	36	30	Polished Silver
	LM30136940910	100 in stock	100	Luma30 with 6w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	36	30	Polished Silver
	LM30150927910	100 in stock	100	Luma30 with 6w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	50	30	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30150930910	100 in stock	100	Luma30 with 6w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	50	30	Polished Silver
	LM30150935910	100 in stock	100	Luma30 with 6w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	50	30	Polished Silver
	LM30150940910	100 in stock	100	Luma30 with 6w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	50	30	Polished Silver
	LM30115927810	100 in stock	100	Luma30 with 6w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	2700k	15	30	Matte Silver
	LM30115930810	100 in stock	100	Luma30 with 6w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3000k	15	30	Matte Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30115935810	100 in stock	100	Luma30 with 6w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3500k	15	30	Matte Silver
	LM30115940810	100 in stock	100	Luma30 with 6w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	4000k	15	30	Matte Silver
	LM30124927810	100 in stock	100	Luma30 with 6w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	2700k	24	30	Matte Silver
	LM30124930810	100 in stock	100	Luma30 with 6w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3000k	24	30	Matte Silver
	LM30124935810	100 in stock	100	Luma30 with 6w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3500k	24	30	Matte Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30124940810	100 in stock	100	Luma30 with 6w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	4000k	24	30	Matte Silver
	LM30136927810	100 in stock	100	Luma30 with 6w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	2700k	36	30	Matte Silver
	LM30136930810	100 in stock	100	Luma30 with 6w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3000k	36	30	Matte Silver
	LM30136935810	100 in stock	100	Luma30 with 6w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3500k	36	30	Matte Silver
	LM30136940810	100 in stock	100	Luma30 with 6w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	4000k	36	30	Matte Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM30150927810	100 in stock	100	Luma30 with 6w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	2700k	50	30	Matte Silver
	LM30150930810	100 in stock	100	Luma30 with 6w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3000k	50	30	Matte Silver
	LM30150935810	100 in stock	100	Luma30 with 6w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	3500k	50	30	Matte Silver
	LM30150940810	100 in stock	100	Luma30 with 6w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matte Silver. Suitable for Mounting Track	4000k	50	30	Matte Silver
	LM301159271010	100 in stock	100	Luma30 with 6w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	15	30	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM301159301010	100 in stock	100	Luma30 with 6w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	15	30	Gold
	LM301159351010	100 in stock	100	Luma30 with 6w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	15	30	Gold
	LM301159401010	100 in stock	100	Luma30 with 6w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	15	30	Gold
	LM301249271010	100 in stock	100	Luma30 with 6w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	24	30	Gold
	LM301249301010	100 in stock	100	Luma30 with 6w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	24	30	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM301249351010	100 in stock	100	Luma30 with 6w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	24	30	Gold
	LM301249401010	100 in stock	100	Luma30 with 6w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	24	30	Gold
	LM301369271010	100 in stock	100	Luma30 with 6w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	36	30	Gold
	LM301369301010	100 in stock	100	Luma30 with 6w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	36	30	Gold
	LM301369351010	100 in stock	100	Luma30 with 6w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	36	30	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM301369401010	100 in stock	100	Luma30 with 6w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	Any Beam Angle	30	Gold
	LM301509271010	100 in stock	100	Luma30 with 6w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	Any Beam Angle	30	Gold
	LM301509301010	100 in stock	100	Luma30 with 6w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	Any Beam Angle	30	Gold
	LM301509351010	100 in stock	100	Luma30 with 6w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	Any Beam Angle	30	Gold
	LM301509401010	100 in stock	100	Luma30 with 6w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	Any Beam Angle	30	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40115927110	100 in stock	100	Luma40 with 10w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	15	40	Black
	LM40115930110	100 in stock	100	Luma40 with 10w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	15	40	Black
	LM40115935110	100 in stock	100	Luma40 with 10w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	15	40	Black
	LM40115940110	100 in stock	100	Luma40 with 10w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	15	40	Black
	LM40124927110	100 in stock	100	Luma40 with 10w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	24	40	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40124930110	100 in stock	100	Luma40 with 10w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	24	40	Black
	LM40124935110	100 in stock	100	Luma40 with 10w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	24	40	Black
	LM40124940110	100 in stock	100	Luma40 with 10w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	24	40	Black
	LM40136927110	100 in stock	100	Luma40 with 10w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	36	40	Black
	LM40136930110	100 in stock	100	Luma40 with 10w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	36	40	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40136935110	100 in stock	100	Luma40 with 10w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	36	40	Black
	LM40136940110	100 in stock	100	Luma40 with 10w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	36	40	Black
	LM40150927110	100 in stock	100	Luma40 with 10w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	2700k	50	40	Black
	LM40150930110	100 in stock	100	Luma40 with 10w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3000k	50	40	Black
	LM40150935110	100 in stock	100	Luma40 with 10w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	3500k	50	40	Black

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40150940110	100 in stock	100	Luma40 with 10w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Black. Suitable for Mounting Track	4000k	50	40	Black
	LM40115927210	100 in stock	100	Luma40 with 10w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	15	40	White
	LM40115930210	100 in stock	100	Luma40 with 10w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	15	40	White
	LM40115935210	100 in stock	100	Luma40 with 10w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	15	40	White
	LM40115940210	100 in stock	100	Luma40 with 10w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	15	40	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40124927210	100 in stock	100	Luma40 with 10w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	24	40	White
	LM40124930210	100 in stock	100	Luma40 with 10w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	24	40	White
	LM40124935210	100 in stock	100	Luma40 with 10w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	24	40	White
	LM40124940210	100 in stock	100	Luma40 with 10w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	24	40	White
	LM40136927210	100 in stock	100	Luma40 with 10w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	36	40	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40136930210	100 in stock	100	Luma40 with 10w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	36	40	White
	LM40136935210	100 in stock	100	Luma40 with 10w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	36	40	White
	LM40136940210	100 in stock	100	Luma40 with 10w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	36	40	White
	LM40150927210	100 in stock	100	Luma40 with 10w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	2700k	50	40	White
	LM40150930210	100 in stock	100	Luma40 with 10w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3000k	50	40	White

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40150935210	100 in stock	100	Luma40 with 10w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	3500k	50	40	White
	LM40150940210	100 in stock	100	Luma40 with 10w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in White. Suitable for Mounting Track	4000k	50	40	White
	LM40115927910	100 in stock	100	Luma40 with 10w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	15	40	Polished Silver
	LM40115930910	100 in stock	100	Luma40 with 10w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	15	40	Polished Silver
	LM40115935910	100 in stock	100	Luma40 with 10w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	15	40	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40115940910	100 in stock	100	Luma40 with 10w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	15	40	Polished Silver
	LM40124927910	100 in stock	100	Luma40 with 10w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	24	40	Polished Silver
	LM40124930910	100 in stock	100	Luma40 with 10w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	24	40	Polished Silver
	LM40124935910	100 in stock	100	Luma40 with 10w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	24	40	Polished Silver
	LM40124940910	100 in stock	100	Luma40 with 10w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	24	40	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40136927910	100 in stock	100	Luma40 with 10w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	36	40	Polished Silver
	LM40136930910	100 in stock	100	Luma40 with 10w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	36	40	Polished Silver
	LM40136935910	100 in stock	100	Luma40 with 10w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	36	40	Polished Silver
	LM40136940910	100 in stock	100	Luma40 with 10w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	36	40	Polished Silver
	LM40150927910	100 in stock	100	Luma40 with 10w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	2700k	50	40	Polished Silver

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40150930910	100 in stock	100	Luma40 with 10w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3000k	50	40	Polished Silver
	LM40150935910	100 in stock	100	Luma40 with 10w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	3500k	50	40	Polished Silver
	LM40150940910	100 in stock	100	Luma40 with 10w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Polished Silver. Suitable for Mounting Track	4000k	50	40	Polished Silver
	LM40115927810	100 in stock	100	Luma40 with 10w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	2700k	15	40	Any Trim Finish
	LM40115930810	100 in stock	100	Luma40 with 10w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3000k	15	40	Any Trim Finish

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40115935810	100 in stock	100	Luma40 with 10w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3500k	15	40	Any Trim Finish
	LM40115940810	100 in stock	100	Luma40 with 10w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	4000k	15	40	Any Trim Finish
	LM40124927810	100 in stock	100	Luma40 with 10w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	2700k	24	40	Any Trim Finish
	LM40124930810	100 in stock	100	Luma40 with 10w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3000k	24	40	Any Trim Finish
	LM40124935810	100 in stock	100	Luma40 with 10w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3500k	24	40	Any Trim Finish

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40124940810	100 in stock	100	Luma40 with 10w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	4000k	24	40	Any Trim Finish
	LM40136927810	100 in stock	100	Luma40 with 10w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	2700k	36	40	Any Trim Finish
	LM40136930810	100 in stock	100	Luma40 with 10w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3000k	36	40	Any Trim Finish
	LM40136935810	100 in stock	100	Luma40 with 10w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3500k	36	40	Any Trim Finish
	LM40136940810	100 in stock	100	Luma40 with 10w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	4000k	36	40	Any Trim Finish

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM40150927810	100 in stock	100	Luma40 with 10w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	2700k	50	40	Any Trim Finish
	LM40150930810	100 in stock	100	Luma40 with 10w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3000k	50	40	Any Trim Finish
	LM40150935810	100 in stock	100	Luma40 with 10w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	3500k	50	40	Any Trim Finish
	LM40150940810	100 in stock	100	Luma40 with 10w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Matt Silver. Suitable for Mounting Track	4000k	50	40	Any Trim Finish
	LM401159271010	100 in stock	100	Luma40 with 10w 2700k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	15	40	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM401159301010	100 in stock	100	Luma40 with 10w 3000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	15	40	Gold
	LM401159351010	100 in stock	100	Luma40 with 10w 3500k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	15	40	Gold
	LM401159401010	100 in stock	100	Luma40 with 10w 4000k 15° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	15	40	Gold
	LM401249271010	100 in stock	100	Luma40 with 10w 2700k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	24	40	Gold
	LM401249301010	100 in stock	100	Luma40 with 10w 3000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	24	40	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM401249351010	100 in stock	100	Luma40 with 10w 3500k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	24	40	Gold
	LM401249401010	100 in stock	100	Luma40 with 10w 4000k 24° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	24	40	Gold
	LM401369271010	100 in stock	100	Luma40 with 10w 2700k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	36	40	Gold
	LM401369301010	100 in stock	100	Luma40 with 10w 3000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	36	40	Gold
	LM401369351010	100 in stock	100	Luma40 with 10w 3500k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	36	40	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Beam Angle	Product Variant	Trim Finish
	LM401369401010	100 in stock	100	Luma40 with 10w 4000k 36° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	36	40	Gold
	LM401509271010	100 in stock	100	Luma40 with 10w 2700k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	2700k	50	40	Gold
	LM401509301010	100 in stock	100	Luma40 with 10w 3000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3000k	50	40	Gold
	LM401509351010	100 in stock	100	Luma40 with 10w 3500k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	3500k	50	40	Gold
	LM401509401010	100 in stock	100	Luma40 with 10w 4000k 50° light engine. IP20. DALI Compatible. Remote control gear. Finished in Gold. Suitable for Mounting Track	4000k	50	40	Gold

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com