RO

Rosy

ROSY wellness linear range



PRODUCT DESCRIPTION

ROSY wellness linear range.

660nm wavelength falls right on the border of visible red light and near-infrared (NIR).
In light therapy, it is primarily used to penetrate the outer skin layers to boost circulation, promote cell regeneration, and stimulate hair follicles.

850nm wavelength is invisible.
Commonly used in two main fields: night-vision surveillance and wellness therapy. It penetrates deeply into biological tissue without producing visible light, making it highly effective for these specialized applications.

Categories: Flexible, Flexistrip

Line drawing



VARIATIONS

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Product Wattage	Product Variant	PCB Width (mm)	IP Rating
	RO12096602222	100 in stock	100	Rosy120 with 9.6W 660nm NIR 120° light engine. IP43 & 8mm PCB. Remote 24V Control Gear	660nm NIR	9.6	120	8	IP43
	RO12098502222	100 in stock	100	Rosy120 with 9.6W 850nm NIR 120° light engine. IP43 & 8mm PCB. Remote 24V Control Gear	850nm NIR	9.6	120	8	IP43
	RO1209660422	100 in stock	100	Rosy120 with 9.6W 660nm NIR 120° light engine. IP65 & 8mm PCB. Remote 24V Control Gear	660nm NIR	9.6	120	8	IP65
	RO1209850422	100 in stock	100	Rosy120 with 9.6W 850nm NIR 120° light engine. IP65 & 8mm PCB. Remote 24V Control Gear	850nm NIR	9.6	120	8	IP65

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

Image	SKU	Stock Status	Stock Quantity	Description	CCT	Product Wattage	Product Variant	PCB Width (mm)	IP Rating
	RO2409660223	100 in stock	100	Rosy240 with 19.2W 660nm NIR 120° light engine. IP43 & 10mm PCB. Remote 24V Control Gear	660nm NIR	19.2	240	10	IP43
	RO2409850223	100 in stock	100	Rosy240 with 19.2W 850nm NIR 120° light engine. IP43 & 10mm PCB. Remote 24V Control Gear	850nm NIR	19.2	240	10	IP43
	RO2409660423	100 in stock	100	Rosy240 with 19.2W 660nm NIR 120° light engine. IP65 & 10mm PCB. Remote 24V Control Gear	660nm NIR	19.2	240	10	IP65
	RO2409850423	100 in stock	100	Rosy240 with 19.2W 850nm NIR 120° light engine. IP65 & 10mm PCB. Remote 24V Control Gear	850nm NIR	19.2	240	10	IP65

As part of our continuous product development we reserve the right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com

As part of our continuous product development we reserve the
right to amend these specifications without prior notice.

TRYKA L.E.D. LTD., 4 Amor Way, Letchworth Garden City, Hertfordshire, SG6 1UG, United Kingdom
Tel: +44 (0) 1763 260666 - www.tryka.com